



7/19/2012

RELIABILITY MONITOR REPORT  
FOR

**SSOP Package**

**MAXIM Integrated Products**

120 San Gabriel Dr.  
Sunnyvale, CA 94086

This Report was prepared by  
Maxim Reliability Engineering

**Summary:**

The data in the tables that follow was generated as the result of an on-going Package Reliability Monitor. The specific assemblies included in this package monitor are:

ASSY SITE	PINS PACKAGE
Carsem-S	36 SSOP (Pb-Free)

The calculated failure rate for this assembly is:

**FAILURE RATE: MTTF (YRS): 10174 FITS: 11.2**

The parameters used to calculate this failure rate are as follows:

**Cf: 60% Ea: 0.7 Tu: 25 °C**

The reliability data follows. At the start of this data is a description of the assembly vehicle used to generate this reliability data. The next section is the detailed reliability data for each stress. The reliability data section includes the latest data available. This report covers data between 7/1/2011 and 6/30/2012.

---

**Assembly Information:**

Package Type: SSOP (Pb-Free)  
Date Code Range: 1145 to 1145

---

**OPERATING LIFE**

DESCRIPTION	DATE CODE	TEST VEHICLE	CONDITION	READPOINT	QUANTITY	FAILS	FA NO
HIGH TEMP OP LIFE	1145	MAX6956AAX/V+	135C	700 HRS	75	0	
<b>Total:</b>						<b>0</b>	

---

**TEMPERATURE CYCLE**

DESCRIPTION	DATE CODE	TEST VEHICLE	CONDITION	READPOINT	QUANTITY	FAILS	FA NO
TEMP CYCLE, 5' RAMP, 10' DWELL	1145	MAX6956AAX/V+	-65C TO 150C	1000 CYS	78	0	
<b>Total:</b>						<b>0</b>	

**FAILURE RATE: MTTF (YRS): 10174 FITS: 11.2**